# Safety Data Sheet



# **SECTION 1: Product and company identification**

Product name : Hygien Sanitizing Gel
Use of the substance/mixture : Hand sanitizers

Product code : 0285

Company : Total Solutions P.O. Box 240014

Milwaukee, WI 53224 - USA

T (414) 354-6417

Emergency number : Chemtec: (800) 424-9300

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification (GHS-US)

Flam. Liq. 2 H225 Eye Irrit. 2B H320

Full text of H-phrases: see section 16

#### 2.2. Label elements

#### **GHS-US labeling**

Hazard pictograms (GHS-US)



GHS02

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Highly flammable liquid and vapor

Causes eye irritation

Precautionary statements (GHS-US) : Keep away from heat, sparks, open flames, hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment Use explosion-proof electrical, lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wash thoroughly after handling

Wear eye protection

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

In case of fire: Use dry extinguishing powder, foam, carbon dioxide (CO2) to extinguish

Store in a well-ventilated place. Keep cool

Dispose of contents/container to comply with local/regional/national/international regulations

### 2.3. Other hazards

No additional information available

# 2.4. Unknown acute toxicity (GHS US)

Not applicable

#### **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixture

OIL PINION O			
Name	Product identifier	%	Classification (GHS-US)
ethanol	(CAS No) 64-17-5	60	Flam. Liq. 2, H225 STOT SE 3, H336
2-propanol	(CAS No) 67-63-0	0.5 - 1.5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

Date of issue: 12/2/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 1 of 6

# Safety Data Sheet



### **SECTION 4: First aid measures**

4.1. Description of first aid measures

First-aid measures after inhalation : Remove the victim into fresh air. Get medical advice/attention if you feel unwell. If breathing is

difficult, give oxygen.

First-aid measures after skin contact : No special measures required.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : None under normal use. May cause respiratory irritation.

Symptoms/injuries after skin contact : Unlikely to cause harmful effects.

Symptoms/injuries after eye contact : Causes eye irritation.

Symptoms/injuries after ingestion : Not expected to be a primary route of exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Fire extinguishers. Water fog.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Do not breathe fumes from fires or vapors from decomposition. Use water spray or fog for cooling

exposed containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

No additional information available

## 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Avoid discharge to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Prevent the product from entering drains or confined areas.

Methods for cleaning up : Take up liquid spill into inert absorbent material, e.g.: sand, earth, vermiculite. Clean contaminated

surfaces with a soap solution. This material and its container must be disposed of in a safe way, and

as per local legislation.

#### 6.4. Reference to other sections

No additional information available

#### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Wear eye protection.

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Use only non-sparking tools. Take precautionary measures against static discharge.

Storage conditions : Keep container tightly closed. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong oxidizing agents.

Storage area : Meet the legal requirements.

Special rules on packaging : meet the legal requirements.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

ethanol (64-17-5)		
ACGIH	ACGIH STEL (ppm)	1000 ppm
ACGIH	Remark (ACGIH)	URT irr

Date of issue: 12/2/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 2 of 6

# Safety Data Sheet



2-propanol (67-63-0)		
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	400 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary.

Protective goggles.



Eye protection : Wear eye/face protection.

Consumer exposure controls : Avoid contact with eyes. Wash hands immediately after handling the product.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear, colorless liquid.

Odor : Mild odor

Odor threshold : No data available

pH : 7.4

Melting point : No data available Freezing point : No data available

Boiling point : 176  $^{\circ}$ F Flash point : 53  $^{\circ}$ F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties No data available Vapor pressure : No data available Relative density No data available Relative vapor density at 20 °C : No data available 0.905 g/ml @ 77°F Specific gravity / density Solubility Soluble in water. Log Pow : No data available Log Kow : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available No data available Viscosity Viscosity, kinematic : No data available Viscosity, dynamic : No data available

VOC content : 0 %

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

# 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No additional information available

Date of issue: 12/2/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 3 of 6

# Safety Data Sheet



### 10.4. Conditions to avoid

No flames, No sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

carbon oxides.

ethanol (64-17-5)

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

LD50 oral rat	10740 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit; Literature study)
ATE CLP (oral)	10740.000 mg/kg body weight
2-propanol (67-63-0)	
LD50 oral rat	5045 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 5840 mg/kg bodyweight; Rat)
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)
ATE CLP (oral)	5045.000 mg/kg body weight
ATE CLP (dermal)	12870.000 mg/kg body weight
ATE CLP (vapors)	73.000 mg/l/4h
ATE CLP (dust, mist)	73.000 mg/l/4h

Skin corrosion/irritation : Not classified

pH: 7.4

Serious eye damage/irritation : Causes eye irritation.

pH: 7.4

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

2-propanol	(67-63-0)
------------	-----------

IARC group 3 - Not Classifiable

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified. Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard

: Not classified

Symptoms/injuries after inhalation : None under normal use. May cause respiratory irritation.

Symptoms/injuries after skin contact : Unlikely to cause harmful effects.

Symptoms/injuries after eye contact : Causes eye irritation.

Symptoms/injuries after ingestion : Not expected to be a primary route of exposure.

Likely routes of exposure : Inhalation;Ingestion.;Eyes

# **SECTION 12: Ecological information**

### 12.1. Toxicity

ethanol (64-17-5)		
LC50 fish 1	14200 mg/l (96 h; Pimephales promelas)	
EC50 Daphnia 1	9300 mg/l (48 h; Daphnia magna)	
LC50 fish 2	13000 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)	
EC50 Daphnia 2	10800 mg/l (24 h; Daphnia magna)	
Threshold limit other aquatic organisms 1	65 mg/l (72 h; Protozoa)	
Threshold limit algae 1	1450 mg/l (192 h; Microcystis aeruginosa; Growth rate)	
Threshold limit algae 2	5000 mg/l (168 h; Scenedesmus quadricauda; Growth rate)	

Date of issue: 12/2/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 4 of 6

# Safety Data Sheet



2-propanol (67-63-0)	
LC50 fish 1	4200 mg/l (96 h; Rasbora heteromorpha; Flow-through system)
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna)
LC50 fish 2	9640 mg/l (96 h; Pimephales promelas; Lethal)
EC50 Daphnia 2	13299 mg/l (48 h; Daphnia magna)
Threshold limit algae 1	> 1000 mg/l (72 h; Scenedesmus subspicatus; Growth rate)
Threshold limit algae 2	1800 mg/l (72 h; Algae; Cell numbers)

#### 12.2. Persistence and degradability

2.2. Tersistence and degradability	
ethanol (64-17-5)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O□/g substance
Chemical oxygen demand (COD)	1.70 g O □/g substance
ThOD	2.10 g O ☐/g substance
BOD (% of ThOD)	0.43 % ThOD
2-propanol (67-63-0)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	1.19 g O □/g substance
Chemical oxygen demand (COD)	2.23 g O ☐/g substance
ThOD	2.40 g O ☐/g substance
BOD (% of ThOD)	0.49 % ThOD

#### 12.3. Bioaccumulative potential

ethanol (64-17-5)		
BCF fish 1	1 (72 h; Cyprinus carpio)	
Log Pow	-0.31 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
2-propanol (67-63-0)		
Log Pow	0.05 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods : Do not puncture, incinerate or crush.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not discharge into the

sewer.

Additional information : Do not re-use empty containers.

# **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

#### **Additional information**

Other information : This product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D

utilizing the exception found at 49 CFR 173.150.

#### ADR

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

## **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Date of issue: 12/2/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 5 of 6

# Safety Data Sheet



2-propanol (67-63-0)
Listed on SARA Section 313 (Specific toxic chemical listings)

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity.

# **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.


#### Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Flam. Liq. 2	Flammable liquids Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H319	Causes serious eye irritation
H320	Causes eye irritation
H336	May cause drowsiness or dizziness

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard : 3 - Liquids and solids that can be ignited under almost all ambient conditions.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



#### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

 Date of issue: 12/2/2015
 Revision date: 05/15/2015
 Version: 1.0
 P GHS SDS
 Page 6 of 6